



Available online at www.sciencedirect.com

SCIENCE @ DIRECT[®]

NUCLEAR
INSTRUMENTS
& METHODS
IN PHYSICS
RESEARCH

Section A

www.elsevier.com/locate/nima

Nuclear Instruments and Methods in Physics Research A 524 (2004) 392

ELSEVIER

Erratum

Erratum to “Polarization constraints on gamma-ray event circles in Compton scatter instruments”

[Nucl. Instr. and Meth. A 503 (2003) 562–566][☆]

S.E. Boggs^{a,b,*}

^aDepartment of Physics, University of California, Berkeley, CA 94720, USA

^bSpace Sciences Laboratory, University of California, Berkeley, CA 94720, USA

Received 9 January 2004; accepted 16 January 2004

On p. 564, Eq. (10) which reads

$$p(\phi) = \frac{[\beta + \beta^{-1} - 2I'_1 \sin^2 \theta \sin^2 \phi - 2I'_2 \sin^2 \theta \cos^2 \phi]}{2\pi [\beta + \beta^{-1} - 2 \sin^2 \theta]}, \quad (10)$$

should read

$$p(\phi) = \frac{[\beta + \beta^{-1} - 2I'_1 \sin^2 \theta \sin^2 \phi - 2I'_2 \sin^2 \theta \cos^2 \phi]}{2\pi [\beta + \beta^{-1} - \sin^2 \theta]}. \quad (10)$$

[☆]doi of original article 10.1016/S0168-9002(03)00989-6.

*Corresponding author: Space Sciences Laboratory, Department of Physics, University of California, Berkeley, CA 94720, USA.
Fax: +1-510-643-8302.

E-mail address: boggs@ssl.berkeley.edu (S.E. Boggs).